

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: Johannes Ludescher, et al.

Patent No.: 7,847,093

Issued: December 7, 2010

REQUEST FOR CERTIFICATE OF CORRECTION

Attention Certificate of Corrections Branch  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Rule 37 C.F.R. § 1.322

In accordance with 37 C.F.R. § 1.322, patentee, by and through its undersigned counsel of record, respectfully requests issuance of a Certificate of Correction for the above patent.

The errors noted below were discovered while proofreading the patent grant document, and are all believed to have occurred as a result of typographical and other mistakes on the part of the USPTO or its agent in the formatting and/or printing of the grant document:

In the Specification:

Column 1, line 7, after "OF", delete "CEFEPI" and insert therefor -- CEFEPIME -- .

Column 4, line 11, after "of" (second occurrence), delete "formula I" and insert therefor -- formula II -- .

Column 7, line 22, after "therefore", and before "In Addition," add --,-- .

Column 7, line 41. at the beginning of the paragraph, delete "Alternatively" and insert therefore -- Alternatively -- .

Column 7, line 64, after "40°C" delete -- . -- .

Column 7, line 64, after "35°C" delete -- . -- .

Column 7, line 65, after "15°C" delete -- . -- .

Column 7, line 65, after "25°C" delete -- . -- .

Column 8, line 16, after “20°C” delete -- . -- .  
Column 8, line 33, after “20°C” delete -- . -- .  
Column 8, line 34, after “35°C” delete -- . -- .  
Column 8, line 36, after “0°C” delete -- . -- .  
Column 8, line 67, after “20°C” delete -- . -- .  
Column 9, line 1, after “25°C” delete -- . -- .  
Column 9, line 26, after “0°C” delete -- . -- .  
Column 9, line 47, after “4°C” delete -- . -- .  
Column 9, line 51, after “4°C” delete -- . -- .  
Column 10, line 14, after “1°C” delete -- . -- .  
Column 10, line 21, after “C” delete -- . -- .  
Column 10, line 22, after “C” delete -- . -- .  
Column 10, line 23, after “35°C” delete -- . -- .  
Column 10, line 24, after “0°C” delete -- . -- .  
Column 10, line 28, after “4°C” delete -- . -- .  
Column 10, line 62, after “20°C” delete -- . -- .  
Column 11, line 39, after “10°C” delete -- . -- .

Rule 37 C.F.R. § 1.323

In accordance with 37 C.F.R. § 1.323, patentee also requests that the Certificate of Correction address the following mistakes/ discrepancies discovered while proofreading the patent which, in contrast to the above, appear to have occurred as a result of typographical, grammatical, or other syntax errors on the part of the patentee:

Column 1, line 24, at the end of the second paragraph, after “formula I,” please insert  
-- . -- .

Column 12, line 30, after “ca,” delete “15°,” and insert therefore -- 15°C -- .

Column 12, line 62, after "6," delete lower case "n," and insert therefore -- N-- .

Column 15, Claim 2, line 39, after "is," please delete "cyclized" and insert therefor -- cyclised --.

A Certificate of Correction incorporating the above delineated changes is enclosed in duplicate herewith.

The petition fee of \$100 is paid herewith. Should proper payment not be enclosed, the check be in the wrong amount, or otherwise improper or entirely missing, please charge the unpaid amount or credit the overage to our Deposit Account No. 12-2355.

A Certificate of Correction incorporating the above-delineated changes is enclosed herewith.

Respectfully submitted,

LUEDEKA, NEELY & GRAHAM, P.C.

By: /Mark S. Graham/

Mark S. Graham

Registration No. 32,355

July 20, 2011  
P.O. Box 1871  
Knoxville, TN 37901  
(865) 546-4305